

Delco 28MT

Parts Catalog

(12V & 24V)



Metro Auto Industrial Inc.

Toll Free: 1-800-263-8761

Table Of Contents

Bearing	6
DE Housing	7
CE Plate	9
CS Housing	9
Drive Assy	10
Shift Lever	11
Field Case Assy	11
Field Coil	11
Armature	12
Bushing	12
Solenoid & Parts	13
Brush	15
Brush Holder	16
Misc. Parts	16
Hardware	18

Table Of Contents

6-1034	6
6-2004	6
51-84000	7
51-84001	7
51-84003	7
51-84004	7
51-84005	7
51-84007	7
51-84008	8
51-84009	8
51-84010	8
51-84012	8
51-84013	8
51-84014	8
52-84000	9
52-84001	9
53-84000	9
53-84001	9
53-84002	9
53-84003	9
54-84000	10
54-84001	10
54-84002	10
54-84003	10
54-84006	10
55-84001	11
57-842000	11
57-842001	11
59-84000	11
59-84001	11
61-84000	12
61-84001	12
62-84001	12
66-84000	13
66-84004	13
66-84004-1	13
66-84005	13
66-84006	13
66-84007	13
66-84008	14
66-84012	14
66-84013	14
66-84014	14
66-840401	14
68-84101	15
68-84102	15

69-84000	16
69-847000	16
71-82129	17
71-841000	16
71-841001	16
71-841002	16
71-843000	16
71-8410031	16
71-8410032	16
76-843000	17
76-845050	17
76-848000	17
76-848005	17
76-848006	17
84-13031	18
84-82003	18
85-13028	19
85-23007	19
85-43005	19
85-45002	18
85-75000	19
85-82003	18
85-82004	18
85-82101	18
85-82114	18
85-82503	18

Bearing



**6-1034
Bearing
Armature-DE side
(Double Sealed)**

For: Delco 28MT Starters

Used on:

Dim: 17mm ID x 35mm OD x 10mm W

Replaces: 10456461

OE:

Lester: used on many Lester numbers

Note:



**6-2004
Bearing
Armature-CE side
(Double Sealed)**

For: Delco 28MT Starters

Used on:






Dim: 10mm ID x 30mm OD x 9mm W

Replaces: 10456462


OE:

Lester: used on many Lester numbers

Note:

DE Housing	DE Housing	DE Housing
 51-84000 DE Housing Aluminum Small Drive Opening For: Delco 28MT Starters Used on: Replaces: 10456471 OE: 1113269*, 1113270, 1113295*, 1113296, 10479611 Lester: 6468*, 6469 Note: Small Drive opening. * Can replace to Drive large opening. DE Bushing use 62-84001	Photo Coming Soon 51-84003 DE Housing Aluminum For: Delco 28MT Starters Used on: Allis-Chalmers, Clark, Ford New Holland, Hyster, International, Lister-Petter, Massey Ferguson, Melroe, Oshkosh, Perkins, White Replaces: 10457030, 10457180 OE: 1113273, 1113274, 1113290, 10479604, 10479607, 10479608, 10479612, 10479613 Lester: 6571, 6572, 6586, 6587, 6588, 6590, 6597, 6902 Note: DE Bushing use 62-84001.	 51-84005 DE Housing Aluminum For: Delco 28MT Starters Used on: Allis-Chalmers, Bluebird, Clark, DMT, Deutz, Ford New Holland, Ford Truck, International, Jacobsen, Lister-Petter, Massey Ferguson, Melroe, Perkins, Versatile, Waukesha, White Replaces: 10457029, 10457170 OE: 1113279, 1113280, 1113281, 1113282, 1113285, 10479600, 10479606, 10479615, 10479618, 10479629 Lester: 6575, 6576, 6578, 6585, 6591, 6901, 6903 Note: DE Bushing use 62-84001.
 51-84001 DE Housing Aluminum Large Drive Opening For: Delco 28MT Starters Used on: Chevrolet, GMC Replaces: 10456471, 10456472 OE: 1113269*, 1113270, 1113295*, 1113296, 10479611 Lester: 6468*, 6469 Note: Large Drive opening. * Can replace to Drive small opening. DE Bushing use 62-84001.	 51-84004 DE Housing Aluminum For: Delco 28MT Starters Used on: Allis-Chalmers, Champion Motor Coach, Consolidated Diesel, Cummins, Detroit Diesel, DMT Corp, Dresser Construction, Freightliner, Hyster, Mack, Melroe, Perkins, Toro, Versatile, White Replaces: 10457026 OE: 1113275, 1113276, 1113277, 1113278, 1113291, 1113292, 10479605, 10479616, 10479617 Lester: 6573, 6574, 6582, 6583, 6584, 6589, 6592, 6594, 6603, 6611 Note: DE Bushing use 62-84001.	 51-84007 DE Housing Casting Iron For: Delco 28MT Starters Used on: John Deere Replaces: 10457050 OE: 10461443, 10461444, 10461482, 1113271, 1113272, 1113283 Lester: 6570, 6577, 6596 Note: DE Bushing use 62-84001.

Manufacturers and Supplier names and their part numbers are for reference use only.

DE Housing	DE Housing	DE Housing
 51-84008 DE Housing Aluminum For: Delco 28MT Starters Used on: Replaces: 10457031 OE: 10461467, 10465055, 10465315, 10479620, 1113286 Lester: 6579, 6599 Note: DE Bushing use 62-84001.	 51-84012 DE Housing Aluminum For: Nikko 28MT Starters Used on: Mack Truck Replaces: 10457053 OE: 10465148, 10465239, 1113289 Lester: 6602 Note: DE Bushing use 62-84001. Also repace to 27MT 1998418 & Bosch DD, 3.0kw, (Lester 18259).	
 51-84009 DE Housing Aluminum For: Delco 28MT Starters Used on: Hough International Replaces: 10457142 OE: 10461483, 10465150, 10465402, 10479614, 1113284 Lester: 6595, 6600 Note: DE Bushing use 62-84001.	 51-84013 DE Housing Aluminum For: Delco 28MT Starters Used on: John Deere Replaces: 10457265 OE: 10461471, 10479628 Lester: 6601 Note: DE Bushing use 62-84001.	
 51-84010 DE Housing Aluminum For: Delco 28MT Starters Used on: Replaces: OE: 10479619, 1113287 Lester: Note: DE Bushing use 62-84001. Also replace to 20-22MT 1109548, 1998384.	 51-84014 DE Housing Aluminum For: Nikko 28MT Starters Used on: Replaces: OE: 1113293 Lester: Note: DE Bushing use 62-84001.	



CE Plate	CS Housing	CS Housing
 52-84000 CE Plate Aluminum For: Delco 28MT Starters Used on: Chevrolet, GMC Replaces: 10456467 OE: 1113269, 1113270, 1113295, 1113296, 10479611 Lester: 6468, 6469 Note: With 1/4 -20 mtg. stud.	 53-84000 CS Frame Aluminum For: Delco 28MT Starters Used on: Replaces: 10456469 OE: 1113269, 1113270, 1113295, 1113296, 10479611 Lester: 6468, 6469 Note:	 53-84002 Drive Shaft Frame Aluminum For: Delco 28MT Starters Used on: Allis-Chalmers, Bluebird, Chevrolet, Clark, Consolidated Diesel, Cummins, DMT, Detroit Diesel, Deutz, Deutz-Allis, Dresser Construction, Ford New Holland, Ford Truck, Freightliner, GMC, Hough International, Hyster, International, Jacobsen, John Deere, Lincoln Electric, Lister-Petter, Mack, Massey Ferguson, Melroe, Miller Electric, Oshkosh, Perkins, RVI, TCM, Toro, Versatile, Waukesha, White Replaces: 10456470 OE: 1113269, 270, 271, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 284, 286, 287, 289, 295, 296, 297; 10479600, 604, 605, 606, 607, 608, 611, 612, 614, 615, 618, 619, 620, 628, 629 Lester: 6468, 6469, 6573, 6585, 6595, 6601 Note:
 52-84001 CE Plate Aluminum For: Delco 28MT Starters Used on: Allis-Chalmers, Bluebird, Champion Motor Coach, Clark, Consolidated Diesel, Cummins, DMT Corp, Detroit Diesel, Deutz, Deutz-Allis, Dresser Construction, Ford New Holland, Ford Truck, Freightliner, Hough International, Hyster, International, Jacobsen, John Deere, Lincoln Electric, Lister-Petter, Mack, Massey Ferguson, Melroe, Miller Electric, Oshkosh, Perkins, RVI, TCM, Toro, Versatile, Waukesha, White Replaces: 10457036 OE: 1113271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 297; 10479600, 9604, 9605, 9606, 9607, 9608, 9612, 9613, 9614, 9615, 9616, 9617, 9618, 9619, 9620, 9628, 9629, 9630 Lester: 6573, 6577, 6585, 6595, 6601 Note:	 53-84001 CS Frame Aluminum For: Delco 28MT Starters Used on: Allis-Chalmers, Bluebird, Champion Motor Coach, Clark, Consolidated Diesel, Cummins, DMT, Detroit Diesel, Deutz, Deutz-Allis, Dresser Construction, Ford New Holland, Ford Truck, Freightliner, Hough International, Hyster, International, Jacobsen, John Deere, Lincoln Electric, Lister-Petter, Mack, Massey Ferguson, Melroe, Miller Electric, Oshkosh, Perkins, RVI, TCM, Toro, Versatile, Waukesha, White Replaces: 10457037 OE: 1113271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 297; 10479600, 604, 605, 606, 607, 608, 612, 613, 614, 615, 616, 617, 618, 619, 620, 628, 629, 630 Lester: 6573, 6577, 6585, 6595, 6601 Note: For starters w/ flange mount D.E. housings.	 53-84003 Drive Shaft Frame Aluminum For: Delco 28MT Starters Used on: Champion Motor Coach, Clark, Consolidated Diesel, Cummins, Hyster, John Deere, Mack, Melroe, Perkins Replaces: 10457169 OE: 1113272, 1113283, 1113285, 1113288, 1113290, 1113291, 1113292, 10479613, 10479616, 10479617, 10479630 Lester: 6577, 6582, 6583, 6586, 6589, 6592, 6596 Note:

Manufacturers and Supplier names and their part numbers are for reference use only.

Drive Assy	Drive Assy	Drive Assy
Photo Not Available 54-84000 Drive-Dry Clutch 10T, CW, 12-SPL For: Delco 28MT Starters Used on: Replaces: 10456455 OE: 1113269, 1113270, 1113271, 1113276, 1113283, 1113292, 1113295, 1113296, 10479604, 10479614, 10479615, 10479617, 10479618, 10479628, 10479630 Lester: 6468, 6469, 6570, 6573, 6577, 6583, 6585, 6589, 6590, 6595, 6601 DIM: 14mm ID, 32mm Gear OD, 86mm L, 26mm Clutch Barrel Length Note: 26mm Clutch Barrel Length. For Wet Clutch use 54-84006.	 54-84002 Drive-Wet Clutch 10T, CW, 12-SPL For: Delco 28MT Starters Used on: Replaces: 10457057 Dim: 14mm ID, 40mm Gear OD, 86mm L, 26mm Clutch Barrel Length OE: 1113274, 275, 281, 282, 284, 289, 297 Lester: 6572, 6576, 6578, 6581, 6584, 6587, 6588, 6593, 6600, 6602 Note: 26mm Clutch Barrel Length. For Dry Clutch use 54-84001.	 54-84006 Drive-Wet Clutch 10T, CW, 12-SPL For: Delco 28MT Starters Used on: Replaces: 10456455, 10457056, 10457167 Dim: 14mm ID, 32mm Gear OD, 86mm L, 26mm Clutch Barrel Length OE: 1113269, 1113270, 1113271, 1113276, 1113283, 1113292, 1113295, 1113296, 10479604, 10479614, 10479615, 10479617, 10479618, 10479628, 10479630 Lester: 6468, 6469, 6570, 6573, 6577, 6583, 6585, 6589, 6590, 6595, 6601 Note: 26mm Clutch Barrel Length. For Dry Clutch use 54-84001.
Photo Not Available 54-84001 Drive-Dry Clutch 10T, CW, 12-SPL For: Delco 28MT Starters Used on: Replaces: Dim: 14mm ID, 40mm Gear OD, 86mm L, 26mm Clutch Barrel Length OE: 1113274, 275, 281, 282, 284, 289, 297 Lester: 6572, 6576, 6578, 6581, 6584, 6587, 6588, 6593, 6600, 6602 Note: 26mm Clutch Barrel Length. For Wet Clutch use 54-84002.	 54-84003 Drive-Dry Clutch 12T, CW, 12-SPL For: Delco 28MT Starters Used on: Replaces: 10457058 Dim: OE: 1113273, 279, 280; 10479606 Lester: Note: 26mm Clutch Barrel Length. For Dry Clutch use 54-84001.	

Shift Lever	F. Case Assy	Field Coil
55-84001 Shift Lever For: Delco/Nikko 28MT Starters Used on: Replaces: 10456464 Dim: OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6603, 6604, 6610, 6611, 6902, 6903 Note: Used w/85-23007 Hex Nut.	57-842000 Field Case Assy 12V, CW For: Delco 28MT Starters Used on: Replaces: 10456473 Dim: 90mm OD x 105mm L OE: Lester: 6468, 6469, 6572, 6573, 6575, 6576, 6577, 6578, 6579, 6580, 6581, 6583, 6584, 6585, 6587, 6588, 6589, 6590, 6593, 6595, 6599, 6600, 6601, 6602, 6603, 6611, 6903, Contents: 59-84000 Field Coils Note: 57-842001 Field Case Assy 24V, CW For: Delco 28MT Starters Used on: Replaces: 10457118 Dim: 90mm OD x 105mm L OE: 10461283, 10461459, 10461465, 10461468, 10461469, 10461486, 10479600, 10479616, 10479622, 10479623, 10479629; 1113291 Lester: 6574, 6582, 6591, 6592, 6596, 6597, 6598, 6902 Note:	59-84000 Field Coil 12V, CW For: Delco/Nikko 28MT Starters Used on: Replaces: Dim: 55mm HT x 21mm W Pole Shoe OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6575, 6577, 6578, 6579, 6580, 6581, 6583, 6584, 6586, 6587, 6588, 6589, 6590, 6593, 6595, 6599, 6600, 6601, 6602, 6603, 6611, 6903 Ref: 59-8400-2 Note: 59-84001 Field Coil 24V, CW For: Delco/Nikko 28MT Starters Used on: Replaces: Dim: OE: Lester: 6574, 6582, 6591, 6592, 6594, 6596, 6597, 6598, 6902 Ref: 59-8401-1 Note:

Armature	Bushing	
61-84000 Armature 12V, CW, 8 Spline For: Delco/Nikko 28MT Starters Used on: Replaces: 10456466 Dim: 60.2mm OD x 177mm OAL OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6575, 6577, 6578, 6579, 6580, 6581, 6583, 6584, 6586, 6587, 6588, 6589, 6590, 6593, 6595, 6599, 6600, 6601, 6602, 6603, 6611, 6903 Ref: 61-8400 Note: 61-84001 Armature 24V, CW, 8 Spline For: Delco/Nikko 28MT Starters Used on: Replaces: 10457117 Dim: 60.2mm OD x 177mm OAL OE: Lester: 6574, 6582, 6591, 6592, 6594, 6596, 6597, 6598, 6902 Ref: 61-8401 Note:	62-84001 Bushing-DE Housing For: Delco 28MT Starters Used on: Replaces: 10456459 Dim: 14mm ID x 17mm OD x 16 mm L OE: Lester: 18073, 6573, 6585, 6593, 6601, 6603, 6604, 6610 Ref: 62-84500, PIC# 6-17008 Note:	

Solenoid	Solenoid	Solenoid
 66-84000 Solenoid 24V, 3-Terminals For: Nikko 28MT Starters Used on: Replaces: 0-47100-2670, 0-47100-3040, 0-47100-3041 Dim: Motor Term M10 x 1.50 S. Term M5 x 0.8 POST (RH) B+ Term M8 x 1.25 OE: Lester: 18068, 18069, 18070, 18072, 18074, 18074, 18076, 18081, 19929 Ref: Note:	 66-84000-1 Solenoid 12V, 3-Terminals For: Nikko 28MT Starters Used on: Replaces: 0-47100-2670, 0-47100-3040, 0-47100-3041 Dim: Motor Term M10 x 1.50 S. Term M5 x 0.8 POST (RH) B+ Term M8 x 1.25 OE: Lester: 6571, 6572, 6573, 6575, 6576, 6579, 6580, 6580, 6581, 6583, 6584, 6588, 6590, 6593, 6600, 6602 Ref: Note: Similar to 66-84000, but Cap without square hole.	 66-84006 Solenoid 12V, 4Terminals For: Nikko 28MT Starters Used on: Replaces: 10457151, D937A Dim: Motor Term M8 x 1.25 S. Term M5 x 0.8 POST B+ Term OE: Lester: 6570, 6577, 6578, 6585, 6586, 6587, 6589, 6595, 6599, 6601, 6903 Ref: Note:
 66-84004 Solenoid 12V, 3-Terminals For: Delco 28MT Starters Used on: Replaces: 10457055 Dim: Motor Term M8 x 1.25 S. Term M5 x 0.8 POST (LH) B+ Term M10 x 1.50 OE: Lester: 6571, 6572, 6573, 6575, 6576, 6579, 6580, 6580, 6581, 6583, 6584, 6588, 6590, 6593, 6600, 6602 Ref: Note: Cap with a square hole.	 66-84005 Solenoid 12V, 3-Terminals For: Delco 28MT Starters Used on: Replaces: 10456454 Dim: Motor Term M8 x 1.25 S. Term M4 x 0.7 POST (LH) B+ Term M10 x 1.50 OE: Lester: 6468, 6469 Ref: Note:	 66-84007 Solenoid 24V, 4-Terminals For: Delco 28MT Starters Used on: Replaces: 10457115, 10457152 Dim: Motor Term M10 x 1.25 S. Term M5 x 0.8 POST (LH) B+ Term M10 x 1.50 OE: Lester: 6591, 6592, 6596, 6597, 6901 Ref: Note:

Solenoid	Solenoid	Solenoid Parts
 66-84008 Solenoid 24V, 3-Terminals For: Delco 28MT Starters Used on: Industrial Replaces: Delco 104577116, 10457123 Nikko 0-47100-4220 Dim: Motor Term M10 x 1.50 S. Term M5 x 0.8 POST (LH) B+ Term M8x 1.25 OE: Lester: 6574, 6582, 6594, 6598, 6902 Ref: Note:	 66-84013 Solenoid 24V, 3-Terminals For: Nikko 5.5kw Starters Used on: Komatsu, Mitsui-Deutz, MQ Industrial Replaces: Komatsu KD0-47100-3510, Nikko 0-47100-3510, Nissan, Infiniti 23343-99207 Dim: Motor Term M8 x 1.25 S. Term M5 x 0.8 POST (LH) B+ Term M10x 1.25 OE: Lester: 18077, 18078, 18104, 18106, 18129, 18130, 18521, 19930, 19935, 19936 Ref: Note:	Photo Not Available 66-840401 Insulating Washer - Movable Contact For: Delco 28MT Starters Used on: Replaces: Dim: 6mm ID x 14mm OD x 1.5mm T OE: Lester: 6606 Ref: 66-84401, PIC# 6740-230 Note:
 66-84012 Solenoid 24V, 3-Terminals For: Nikko 3.5kw Starters Used on: Hitachi, Isuzu, Link-Belt Industrial Replaces: Isuzu 5811510380, Nikko 0-47100-3010, 0-47100-3100, 0-47100-3180 Dim: Motor Term M8 x 1.25 S. Term M4 x 0.7 Hole (LH) B+ Term M8x 1.25 OE: Lester: 18193, 19770 Ref: Note:	 66-84014 Solenoid 24V, 3-Terminals For: Nikko 7.5kw Starters Used on: Komatsu, MQ Industrial Replaces: Mitsubishi Heavy Industries 37566-00112, Nikko 0-47100-3940 Dim: Motor Term M10 x 1.25 S. Term M5 x 0.8 POST (RH) B+ Term M10x 1.25 OE: Lester: 18083, 18084, 18128, 19774, 19934 Ref: Note:	

Brush



68-84101
Brush-Ground
12 Volt

For: Delco 28MT Starters

Used on:

Replaces: 10456457

Dim: 7.5mm T x 25mm W x 18.5mm L x 35mm LL

OE:

Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6575, 6576, 6577, 6578, 6579, 6580, 6581, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6593, 6595, 6599, 6600, 6601, 6602, 6604, 6610, 6611, 6903

Ref: 66-8400, PIC# 5485-3402

Note: With M4 x 0.7 threaded term. hole, used w/68-84102 Brush



68-84102
Brush-Ground
12 Volt

For: Delco 28MT Starters

Used on:

Replaces: 10456458

Dim: 7.5mm T x 25mm W x 18.5mm L x 45mm LL

OE:

Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6575, 6576, 6577, 6578, 6579, 6580, 6581, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6593, 6595, 6599, 6600, 6601, 6602, 6604, 6610, 6611, 6903

Ref: 66-8401, PIC# 5485-3403

Note: With 4.5mm unthreaded term. hole, used w/68-84101 Brush.

Brush Holder	Misc. Parts	Misc. Parts
 69-84000 Brush Holder For: Delco 28MT Starters Used on: Replaces: Delco 10456456, Nikko 0-23750-0321 Dim: OE: Lester: 18194, 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6603, 6604, 6610, 6611, 6901, 6902, 6903 Ref: 69-8400, PIC# 5585-8800 Note: Without Brush Photo Not Available	 71-841000 Gasket Ring-C.S. Housing For: Delco 28MT Starters Used on: Replaces: Dim: 79mm ID x 84mm OD x 2.1mm W OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6901, 6902, 6903 Ref: 71-84100, PIC# 9185-8803 Note:  71-841001 Plug-D.E. Housing For: Delco 28MT Starters Used on: Replaces: Dim: OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6579, 6580, 6584, 6585, 6587, 6590, 6591, 6593, 6594, 6595, 6597, 6598, 6599, 6600, 6601, 6602, 6901, 6902, 6903 Ref: 71-84101, PIC# 9185-8809 Note:	 71-843000 Grommet-Field Coil Terminal For: Delco 28MT Starters Used on: Replaces: Dim: 7mm ID OE: Lester: 6577, 6598, 6603 Ref: 71-84103, PIC# 9185-8802 Note: Used on 66-84004, 66-84005, 66-84006, 66-84007, 66-84008 solenoids.  71-8410031 Seal-D.E. Housing 12 Volt use For: Delco 28MT Starters Used on: Replaces: Dim: OE: Lester: 6577, 6598, 6603 Ref: 71-84103, PIC# 9185-8802 Note: Used on 66-84004, 66-84005, 66-84006, 66-84007, 66-84008 solenoids.
69-847000 Spring-Brush Holder For: Delco 28MT Starters Used on: Replaces: Delco 10456460 Dim: OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6604, 6610, 6611, 6901, 6902, 6903 Ref: 69-84700, PIC# 9485-100 Note: Used on 69-84000 Brush Holder.	 71-841002 Seal-D.E. Housing For: Delco 28MT Starters Used on: Replaces: Dim: OE: Lester: 6577, 6578, 6581, 6582, 6583, 6586, 6588, 6589, 6592, 6596 Ref: 71-84102, PIC# 9185-8801 Note:	 71-8410032 Seal-D.E. Housing 24 Volt use For: Delco 28MT Starters Used on: Replaces: Dim: OE: Lester: Ref: Note: Used on

Manufacturers and Supplier names and their part numbers are for reference use only.

Misc. Parts	Misc. Parts	Misc. Parts
 76-843000 Plate-D.E. Housing For: Delco 28MT Starters Used on: Replaces: Dim: OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6579, 6580, 6580, 6584, 6585, 6587, 6590, 6591, 6593, 6594, 6595, 6597, 6598, 6599, 6600, 6601, 6602, 6901, 6902, 6903 Ref: 76-84300, PIC# 6985-104 Note:  76-845050 Terminal Post-Field Coil For: Delco 28MT Starters Used on: Replaces: Dim: M8 x 1.25 x 25mm L OE: Lester: Ref: 76-84550, PIC# 6985-105 Note:  76-848000 Shaft-Drive For: Delco 28MT Starters Used on: Replaces: Delco 10457032 Dim: 14mm Dia. Shaft x 172mm L OE: Lester: 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6578, 6579, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6599, 6600, 6601, 6602, 6603, 6901, 6902, 6903 Ref: 76-84800, PIC# 5185-101 Note:	Photo Not Available 76-848005 Retaining Ring For: Delco 28MT Starters Used on: Replaces: Delco 10457032 Dim: 1.8mm Wire Dia. OE: Lester: 6580 Ref: 76-84805, PIC# 9740-4035 Note:  76-848006 Collar For: Delco 28MT Starters Used on: Replaces: Delco 10456465 Dim: 14mm ID x 20mm OD x 6.5mm W OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6578, 6579, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6603, 6604, 6610, 6901, 6902, 6903 Ref: 76-84805, PIC# 9740-4035 Note: Used w/ 14mm dia. Drive Shaft.	 71-82129 O-Ring Brush Holder Screw For: Delco 28MT & Denso OSGR Starters Used on: Replaces: 949140-1710 Dim: 5mm ID x 8mm OD x 1.8mm W OE: Lester: 16643, 16644, 17103, 17386, 17398, 17748, 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6840, 6842, 6901, 6902, 6903 Ref: 71-82502, PIC# 9140-4617A Note:

Hardware	Hardware	Hardware
 84-82003 Screw Phillip Pan Head w/Split Lock Washer For: Delco, Denso ... Used on: Replaces: Dim: M4 x 0.7 x 5.7mm L 7mm Drive Head OE: Lester: Ref: 85-1205, PIC# 9690-9016 Note: Zinc Plated.	 85-82003 Nut Serrated Flange Hex Head For: Delco, Denso ... Used on: Replaces: Dim: M5 x 0.8 x 4.50mm L 8mm Drive Head OE: Lester: Ref: 85-2300, PIC# 9500-1451 Note: Zinc Plated. We also has un-Serrated available (85-82003F).	 85-82503 Washer Split Lock Washer For: Delco, Denso ... Used on: Replaces: Dim: 10 mm ID x 17mmOD x 2.4mm Thick OE: Lester: Ref: 85-4500, PIC# 9500-1500 Note: Zinc Plated.
 85-13031 Screw Hex Washer Head Serrated Flange For: Delco 28MT OSGR Starters Used on: Replaces: Dim: M6 x 1.0 x 20mm L 8mm Drive Head OE: Lester: Ref: 85-1331, PIC# 9640-4068 Note: Zinc Plated.	 85-82101 Nut Hex Head For: Delco, Denso ... Used on: Replaces: Dim: M8 x 1.25 x 5mm L 14mm Drive Head OE: Lester: Ref: 85-2401, PIC# 9500-1464 Note: Zinc Plated. Two side chamfer. We also has one side chamfer (85-82103).	 85-45002 Washer Flat For: Delco 28MT OSGR Starters Used on: Replaces: Dim: 10mm ID x 23mm OD x 0.2mm T OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6901 Ref: 85-4502, PIC# 9240-4085 Note: Plain finished.
 85-82004 Nut Flange-Hex Head For: Delco, Denso ... Used on: Replaces: Dim: M4 x 0.7 x 4.50mm L 9mm Drive Head OE: Lester: Ref: 85-2200, PIC# 9500-1165 Note: Zinc Plated.	 85-82114 Nut Hex Head For: Delco, Denso ... Used on: Replaces: Dim: M10 x 1.50 x 8mm L 17mm Drive Head OE: Lester: Ref: 85-2500, PIC# 9500-1499 Note: Zinc Plated.	

Hardware	Hardware	Hardware
85-75000 Washer Insulator For: Delco 28MT OSGR Starters Used on: Replaces: Dim: 10mm ID x 23mm OD x .8mm T OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6901 Ref: 85-7500, PIC# 9240-4077 Note: Phenolic. 85-13028 Thru Bolt Hex Head For: Delco 28MT & Denso OSGR Starters Used on: Replaces: 949042-2270 Dim: M6 x 1.0 x 180mm L 10mm Drive Head OE: Lester: 15421, 15425, 18541, 19719, 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6597, 6598, 6599, 6600, 6601, 6602, 6603, 6611, 6901, 6902, 6903 Ref: 85-1328, PIC# 9640-4125 Note:	85-23007 Nut Hex Head For: Delco 28MT OSGR Starters Used on: Replaces: Dim: M6 x 1.0 x .5.8mm T OE: Lester: 6468, 6469, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6578, 6579, 6580, 6581, 6582, 6583, 6584, 6585, 6586, 6587, 6588, 6589, 6590, 6591, 6592, 6593, 6594, 6595, 6596, 6598, 6599, 6600, 6601, 6602, 6901, 6902, 6903 Ref: 85-2307, PIC# 9540-008 Note: Zinc Plated. 85-43005 Washer For: Delco 28MT OSGR Starters Used on: Replaces: Dim: 6mm ID x 14mm OD x 2mm T OE: Lester: 6571, 6577, 6578, 6581, 6582, 6583, 6586, 6588, 6589, 6592, 6596 Ref: 85-4305, PIC# 9785-850 Note: Zinc Plated, w/Rubber Seal.	



Metro Auto Industrial Inc.

2128 Pomona Boulevard . Pomona . CA 91768-3332

Phone:(909)629-2700 . Fax:(909)629-2721

Toll Free:1-800-263-8761

Toll Free Fax:1-800-799-0838

www.metroautoinc.com

info@metroautoinc.com

Care is taken to ensure the accuracy of photo, descriptions and applications of each items,
but Metro Auto Industrial Inc. assumes no responsibility for possible errors.

All the OE number and Lester number are for referece use only.