

Delco Regulator List

Metro#	OE#	Terminals	Lester	Photo	Ref#
35-1017	1116408 1116428 19009755	P-L-F-S Terminals	7801, 7803, 7804, 7805, 7806, 7807, 7808, 7812, 7813, 7820, 7872, 7985, 8134, 8136		D408-1 35-117
35-1018	1116411 1116429 411 429	P-L-I-S Terminals	7801, 02, 06, 08, 17, 18, 19, 58, 59, 60, 61, 64, 67, 70, 72, 73, 80, 83, 86, 88, 94, 97; 7902, 10, 14, 17, 18, 21, 25, 26, 29, 33, 37, 39, 64, 68, 73, 74, , 84; 8103, 06, 07, 12, 14, 19, 30, 37, 53, 54, 63, 65, 67, 69, 71, 72, 73, 79, 98; 8203, 04, 14, 15, 17, 18, 19		D411-HD-1 35-118
35-1024	1116425 19009724 425	P-L-I-S Terminals	7678, 7684, 7687, 7903, 7945, 7955, 7959, 7960, 7977, 8166, 8175, 8209, 8221, 8295		D42 35-124
35-10243			High Output use Up to 130 Amp		
35-10248			High Output use Up to 180 Amp		
35-1027	1116411 1116429 1116436 1116437 13120469 19009752 411, 429, 436, 437, 9752	P-L-I-S Terminals,	7801, 02, 06, 08, 17, 18, 19, 58, 59, 60, 61, 64, 67, 70, 72, 73, 80, 83, 86, 88, 94, 97; 7902, 10, 14, 17, 18, 21, 25, 26, 29, 33, 37, 39, 64, 68, 73, 74, , 84; 8103, 06, 07, 12, 14, 19, 30, 37, 53, 54, 63, 65, 67, 69, 71, 72, 73, 79, 98; 8203, 04, 14, 15, 17, 18, 19		D411-HD 35-127
35-1052	10475019 19009701 19009716		CS130D 8239	No Photo Available	35-152
35-1060	0887 10517755	F-L Terminals	DR44G 8301, 8302		D3587

Ford Regulator List

Metro#	OE#	Elec. Type	Mtg. Length	Lester	Photo	Ref#
35-2012		Ford	I-D-A Terminals wo/LRC	Ford 6G 7795, 7796, 7797, 7798, 7799, 8252, 8262, 8310, 8317 Gray w/Gray Color		35-212 F600
35-2013		Ford	LI-RC-AS (FR-SIG-A) Terminals	Ford 6G 7788, 8253, 8255, 8256, 8257, 8260, 8261, 8264, 8268, 8315, 8318, 8406, 8408, 8418, 8444, 8447, 8472 etc White w/Black Color		35-213 F601
35-2014		Ford	FR-A Terminals LRC	Ford 6G Bottom Orange color 8250 etc White w/White Color		35-214 F602
35-2016		Ford	FR-A Terminals LRC	Ford 6G 8250 White w/White Color		F602 35-216



Hitachi Regulator List



Metro#	OE#	Terminal	Lester	Photo	Ref#
35-81001	L170-33152	S-L Terminal	13334		35-8119 IH760
35-81002	L180-8315	S-L Terminal	14655, 14717		35-8116 IH248
35-81016			13273, 13285, 13287, 13329, 13533		
35-81020		S-L Terminal	13333, 13334		35-8120 IH761
35-81023		S-L Terminal	13329, 13474, 13531, 13533, 13534		35-8123 IH762
35-81027-1		S-L Terminal	13612, 13639, 13712		35-8127 IH766
35-81028		S-L Terminal	13713, 13760, 13778, 13789, 13827		IH738
35-81029		S-L Terminal	13638, 13713, 13728		35-8129 IH782
35-81030		S-L Terminal	13825, 13900, 13939, 13940		IH744


Mitsubishi Regulator List

Metro#	OE#	Mtg. Length	Lester	Photo	Ref#
35-83002			13197, 13238, 13249, 13257, 13271, 13272, 13289, 13290, 13332, 13352, 13701, 14427, 14428, 14429, 14430, 14432, 14433, 14436, 14437, 14438, 14655, 14656, 14725		35-8302 IM217-1
35-83002-1			13197, 13238, 13249, 13257, 13271, 13272, 13289, 13290, 13332, 13352, 13701, 14427, 14428, 14429, 14430, 14432, 14433, 14436, 14437, 14438, 14655, 14656, 14725		35-8302 IM217-1
35-83013			13188, 13190		35-8313 IM268-1
35-83014			13893, 13966		IM851
35-83015			13649, 13762		35-8348 M850
35-83033	A866X20472		13227, 13350, 13432, 13445, 13446, 13460, 13479, 13511, 13523, 13559, 13574, 13614, 13650, 13698		35-8333 IM830
35-83047			11008, 13718, 13719		IM345


Denso Regulator List

Metro#	OE#	Plug Type	Mtg. Length	Lester	Photo	Ref#
35-82004-1	126000-0340 126000-0400 126000-0510 126000-0650 126000-0700 126000-0731	3-Pin Round	64mm S-IG-L w/output	13229, 240, 277, 323, 331, 392, 394, 456; 14449, 454, 458, 460, 472, 611, 643, 668, 671, 678, 679, 682, 683, 756, 847, 855		35-8204 IN220
35-82005-1	126000-0410 126000-0430	3-Pin Round	64mm D-IG-L wo/LRC	13391, 13521, 13569, 14732, 14733, 14757, 14851, 14872, 14940		35-8205 IN221
35-82009	126000-0440	3-Pin Round	64mm C-IG-L w/output	14739, 14755, 14852		35-8209 IN222
35-82010	126000-0410 126000-0411 126000-0470	3-Pin Round	64mm D-IG-L wo/output	14684, 14870		35-8210 IN219
35-82012	126000-0570	4-Pin Round	64mm D-FR-IG-L w/output	13326, 14759 different supplier		35-8212 IN225
35-82012-1	126000-0570	4-Pin Round	64mm D-FR-IG-L w/output	13326, 14759 different supplier		35-8212 IN225
35-82013	126000-0540 126000-1060 126000-1170	4-Pin Round	64mm S-FR-IG-L w/output	13386, 13387, 14680 different supplier		35-8213 IN226
35-82013-1	126000-0540 126000-1060 126000-1170	4-Pin Round	64mm S-FR-IG-L w/output	13386, 13387, 14680 different supplier		35-8213 IN226
35-82014	126000-0940 126000-1030 126000-1300 126000-1700	4-Pin Round	64mm C-FR-IG-L w/output	13325, 13395, 13507, 13508, 13509, 13538, 13539, 13540, 13684, 14989 different supplier		35-8214 IN224
35-82014-1	126000-0940 126000-1030 126000-1300 126000-1700	4-Pin Round	64mm C-FR-IG-L w/output	13325, 13395, 13507, 13508, 13509, 13538, 13539, 13540, 13684, 14989 different supplier		35-8214 IN224

35-82015	126000-0720 126000-0721 126000-1330	3-Pin Round	57.5mm D-IG-L wo/output	13214, 13255, 13414, 14684, 14870 different supplier		35-8215 IN253
35-82015U	126000-0720 126000-0721 126000-1330	3-Pin Round	57.5mm D-IG-L wo/output	13214, 13255, 13414, 14684, 14870 different supplier		35-8215 IN253
35-82016	126000-0850 126000-0880 126000-1370	3-Pin Round	57.5mm D-IG-L w/output	13316, 13522, 14733, 14940		35-8216 IN251
35-82017	126000-0550 126000-0980 126000-1550 126000-1570	3-Pin Round	57.5mm S-IG-L w/output	13239, 13390, 14843		35-8217 IN250
35-82018	126000-0840	3-Pin Round	57.5mm C-IG-L w/output	14937		35-8218 IN252
35-82020	126000-0970	2-Pin Cross	57.5mm IG-L	Used on Lift Truck 12180, 12182, 12188, 12270, 12530	No Photo Available	
35-82021	126000-0600 126000-0760	2-Pin Cross	57.5mm IG-L wo/output	12179, 12181, 12186, 12188, 12189, 12190, 12196, 12198, 12199, 12204, 12207, 12270, 12530 different supplier		35-8221 IN254
35-82021-1	126000-0600 12600-0760	2-Pin Cross	57.5mm IG-L wo/output	12179, 12181, 12186, 12188, 12189, 12190, 12196, 12198, 12199, 12204, 12207, 12270, 12530 different supplier		35-8221 IN254
35-82021-2	126000-0600 12600-0760	2-Pin Cross	57.5mm IG-L wo/output	12179, 12181, 12186, 12188, 12189, 12190, 12196, 12198, 12199, 12204, 12207, 12270, 12530 different supplier		35-8221 IN254

35-82025	126000-0610 126000-1110 126000-1440 126000-1441	3-Pin Round	64mm S-IG-L wo/output	13234, 252, 276, 278, 319, 321, 339, 384, 385, 393, 398, 455, 566; 14849 different supplier		35-8225 IN434
35-82025-1	126000-0610 126000-1110 126000-1440 126000-1441	3-Pin Round	64mm S-IG-L wo/output	13234, 252, 276, 278, 319, 321, 339, 384, 385, 393, 398, 455, 566; 14849 different supplier		35-8225 IN434
35-82026	126000-1960 126000-2050 126000-2200	3-Pin Round	64mm S-IG-L wo/output	13669, 13670, 13671, 13715, 13794, 13859, 13885		35-8226 IN453
35-82027	126000-1260 126000-1270	3-Pin Round	64mm S-IG-L wo/output	12195, 13338, 13389, 13396, 13397, 13407, 13410, 13411, 13440, 13454, 13498, 13525		35-8227 IN438
35-82029	126000-0931 126000-0932 126000-1400 126000-1450 126000-1530	3-Pin Round	64mm S-IG-L w/output	12066; 13252, 276, 277, 322, 323, 393, 408, 413, 562; 14449, 611, 679, 682		35-8229 IN436
35-82030	126000-0371	2-Pin Cross	64mm IG-L wo/output	100211-140 100211-233		35-8230 IN227
35-82031	126000-1470 126000-1471	4-Pin Round	64mm D-FR-IG-L w/output	13433		35-8231 IN429
35-82032	126000-1410 126000-1860 126000-1880	4-Pin Round	64mm C-FR-IG-L w/output	13506		35-8232 IN431
35-82033	126000-1760	1-Pin Square	64mm L w/output	13519, 13548		35-8233 IN443
35-82034	126000-1810 126000-1850 126000-1870 126000-2000 126000-2260	3-Pin Oval-Side	64mm S-IG-L wo/output	13545, 547, 552, 558, 687, 688, 706, 732, 747, 748, 755, 791, 806, 844, 878, 879, 958		35-8234 IN441
35-82034-1	126000-1810 126000-1850 126000-1870 126000-2000 126000-2260	3-Pin Oval-Side	64mm S-IG-L wo/output	13545, 547, 552, 558, 687, 688, 706, 732, 747, 748, 755, 791, 806, 844, 878, 879, 958		35-8234 IN441

35-82035	126000-1730 126000-1750 126000-1930 126000-2250	3-Pin Oval	64mm S-IG-L w/output	13409, 13486, 13487, 13489, 13497, 13512, 13536, 13659, 13673		35-8235 IN437
35-82036	126000-7100	3-Pin Oval	64mm S-IG-L wo/output	13496 different supplier		35-8236 IN440
35-82036-1	126000-7100	3-Pin Oval	64mm S-IG-L wo/output	13496 different supplier		35-8236 IN440
35-82037	126000-7040	3-Pin Round	57.5mm S-IG-L w/output	12183, 12184, 12187		35-8237 IN256
35-82037-1	126000-7040	3-Pin Round	57.5mm S-IG-L w/output	12183, 12184, 12187		35-8237 IN256
35-82038	126000-1580 126000-1640 126000-1660 126000-1670	3-Pin Oval	64mm S-IG-L wo/output	13457, 481, 482, 492, 495, 499, 500, 501, 502, 503, 537, 546, 551, 553, 556, 557, 668, 673, 711, 754, 756 different supplier		35-8238 IN439
35-82038-1	126000-1580 126000-1640 126000-1660 126000-1670	3-Pin Oval	64mm S-IG-L wo/output	13457, 481, 482, 492, 495, 499, 500, 501, 502, 503, 537, 546, 551, 553, 556, 557, 668, 673, 711, 754, 756 different supplier		35-8238 IN439
35-82039	126000-1730 126000-1750 126000-1930 126000-2250	3-Pin Oval	64mm S-IG-L w/output	13409, 13486, 13487, 13489, 13497, 13512, 13536, 13659, 13673		35-8239 IN437
35-82040	126000-1960 126000-2050 126000-2200	3-Pin Oval	64mm S-IG-L wo/output	13669, 13670, 13671, 13715, 13794, 13859, 13885	No Photo Available	35-8240 IN453
35-82041	126000-2090 126000-2160 126000-2610	4-Pin Square	64mm C-FR-IG-L wo/output	13674, 13677, 13737, 13743, 13767, 13769, 13776, 13835, 13836		35-8241 IN445

35-82042	126000-1630	3-Pin Oval	57.5mm S-IG-L w/output	13485		35-8242 IN257
35-82043	126000-2190 126000-2450	4-Pin Square	64mm S-FR-IG-L w/output	13675, 13738		35-8243 IN455
35-82044	126000-1360 126000-1361	4-Pin Round	64mm C-FR-IG-L	22503		35-8244 IN433
35-82046	126000-1800	3-Pin Oval	57.5mm P-IG-L No output	12202, 12346, 12352, 12356, 12470, 12470		35-8246 IN450
35-82046-1	126000-1800	3-Pin Oval	57.5mm P-IG-L No output	12202, 12346, 12352, 12356, 12470, 12470		35-8246 IN450
35-82047	126000-0400	3-Pin Round	64mm S-IG-L wo/LRC	12205; 13240, 241, 383; 14449, 454, 457, 458, 460, 611, 643, 668, 671, 674, 678, 679, 682, 683, 732, 756, 847, 855, 857, 926, 935, 939, 974		35-8247 IN320
35-82081	126000-1740	3-Pin Oval	57.5mm S-IG-L wo/LRC	101211-219, - 222, -223, -308, - 316 Toyota Lift Truck		IN259
35-82083	126000-2150 126000-2151	3-Pin Oval	64mm C-IG-L L-Term. No output	13739		IN215
35-82084	126600-3430 126600-3460	3-Pin PCM Control	BVS-RC-LI	11290, 11291, 11431, 23820, 23821, 23839		IN6343
35-82086	126600-3660			11390		IN6366

35-82087	126600-0011	3-Pin	S-IG-L L-Term. No Output	12660, 13992, 23830	No Photo Available	IN6002
35-82088	126600-3010 126600-3040 126600-3390	3-Pin	IG-S-L- M(FR)	11032, 11033, 11034, 11084, 11088, 11195, 13981	No Photo Available	IN6301
35-82089	126600-3000	3-Pin	IG-S-L-FR	11138, 11139, 11196, 13984	No Photo Available	IN6300
35-82090	126600-3150	Square 4-Pin	S-IG-L-M(FR)	11030, 11150, 11151	No Photo Available	IN6315

Denso Regulator Plug Type

1S 1 Pin, Square 	2C 2 Pin, Cross 	3O 3 Pin, Oval 	3R 3 Pin, Round 
4R 4 Pin, Round 	4S 4 Pin, Square 		

Denso Terminal Block for Chrysler use

Metro#			For Lester	Photo	Ref#
46-82028	Terminal Block		13184,13185,13220,13245,13256 ,13280,13301,13302,13304,1330 5,13306,13307,13308,13309,133 10,13311,13312,13313,13341,13 354,13453,14869		126220-0110 46-82200
46-82055	Terminal Block		13443, 13444, 13578, 13592, 13593, 13594, 13741, 13765		 46-82201
46-82132	Terminal Block		11116, 13763, 13766, 13790, 13809, 13822, 13823, 13824, 13834, 13842, 13869, 13873, 13874, 13880, 13906, 13910, 13964		126220-0150 46-82202
46-82172	Terminal Block	Hair Pin Type use	11241, 11243, 11294, 11295, 11296, 11298		 46-82208

46-82198	Terminal Block	Hair Pin Type use	13867, 13870, 13871		INP421 46-82203
46-82201	Terminal Block	Hair Pin Type use	11240, 11276, 11383		46-82207
46-82214	Terminal Block	Hair Pin Type use			
46-82215	Terminal Block	Hair Pin Type use			
46-82217	Terminal Block	Hair Pin Type use	11093, 11155, 13868, 13988		46-82204

Valeo Regulator List

Metro#	Transpo#	Terminals	Lester	Photo	Ref#
35-94000	M521	DFM-L Terminals	11159, 11208, 13930, 13931, 13932, 13933 Active lamp function - with output	No Photo Available	M521
35-94001	W082-49N	D-L	11011		W082-49N VRPR5023
35-94002		D-L	11015, 11020, 11227		W082-48N VRVA5010
35-94003			11012, 11013, 11016		W082-36N VRPR5011