













Hitachi

Metro#	Description	Elec. Type	Note	Photo
71-82113	Dust Rubber-Shift Lever	Hitachi	32mm W x 33.5mm OAL 16817	
71-82116	Dust Rubber-Shift Lever	Hitachi 1.4kw Low Torque	39mm W x 37mm OAL CRS-L 2.0kw High Torque use 71-82148	
71-82133	Grommet-Motor Lead	Hitachi	CE & Field Case, 5mm ID, 4.7mm Neck Clearance 16584	
71-82134	Grommet-Motor Lead	Hitachi	9mm ID, 11mm Neck, 13mm T 4.7mm Neck Clearance	
71-82135	Grommet-Motor Lead	Hitachi	7mm ID x 88mm OAL 8mm Dia. Neck 5mm Neck Clearance CRS-H Tube	
71-82148	Dust Cover- Robber Shift Lever	Hitachi 2.0kw High Torque	21mm W x 38.5mm OAL 17088, 17138 1.4kw High Torque use 71-82116	
71-82150	Seal-Shift Lever	Hitachi	17.6mm W x 6.5mm Tx 30.3mm OAL	

















Mitsuba

















Metro#	Description	Elec. Type	Note	Photo
71-82149	Boot	Mitsuba-OSGR	Lester:16902, 16914 15mm ID 24mmW 14.5mmH 80mm OAL Ref:	
71-82170	Boot-Motor Lead	Mitsuba-OSGR	For SM302 Series use Lester:16845, 16901, 16902, 16914, 17052, 17156, 17160, 17491 Ref: 71-85300	














Mitsubishi

Metro#	Description	Elec. Type	Note	Photo
71-82112	Dust Rubber-Shift Lever	Mitsubishi	23mm W x 38mm OAL M1T70431	
71-82123	Seal-Shift Lever	Mitsubishi	20.5mm W x 14mm H x 28mm OAL Used on 17142, 17203, 17252, 17253 etc	
71-82124	Seal-Shift Lever	Mitsubishi	22mm W x 14.5mm H x 27.7mm OAL Used on 17803, 17805, 17806, 17845 etc	

Nippondenso

Metro#	Description	Elec. Type	Note	Photo
71-82101	Boot-Motor Lead	Nippondenso 1.0, 1.2, 1.4 kw	Blue color Also 71-82156 (Ivory color) 71-82157 (Black color)	
71-82101G	Boot-Motor Lead	Nippondenso	Gray color	
71-82101H	Boot-Motor Lead	Nippondenso	Blue color Function same as 71-82101	
71-82102	Boot-Motor Lead	Nippondenso	Gray color Also 71-82158 (Black) 71-82102B (Blue)	
71-82102B	Boot-Motor Lead	Nippondenso	Blue color Also 71-82158 (Black) 71-82102H (Gray)	
71-82102H	Boot-Motor-Lead	Nippondenso	Gray color Function same as 71-82102 Also 71-82158 (Black) 71-82102B (Blue)	
71-82104	Grommet-Motor Lead	Nippondenso 2.0 kw	Blue Color 6.5mm ID x 71mm OAL	
71-82105	Boot-Motor Lead	Nippondenso 2.0 kw	Black Color 11mm ID x 55 mm OAL	
71-82107	Grommet-Motor Lead	Nippondenso 1.0 kw	Blue Color 6mm ID x 80 mm OAL 3mm Neck Clearance	
71-82107H	Grommet-Motor Lead	Nippondenso 1.0 kw	Blue Color 7mm ID x 74mm OAL 2mm Neck Clearance	
71-82108	Rubber Plug-Heat Shield	Nippondenso	5.6mm Dia. Neck, 1mm Neck Clearance Used on 17084 with Heat Shield	
71-82110	Boot-Motor Lead	Nippondenso	Black Color 7mm ID x 37.2 mm OAL Similar to 71-82160	
71-82111	Plug-Solenoid	Nippondenso	9mm Dia. Neck 1.8mm Neck Clearance	
71-82114	Boot-Motor Lead	Nippondenso 1.0, 1.2 kw	31mm W x 45mm OAL 16849, 17007	
71-82115	Grommet-Motor Lead	Nippondenso Early Type 1.0, 1.4, 2.0, 2.2 kw	Gray Color 7mm ID x 81mm OAL 2mm Neck Clearance	
71-82117	Drain Tube-CE Frame	Nippondenso	Fits on 6mm Dia. Hole with 2.2mm Wall Thickness	

71-82118	Drain Tube-Solenoid	Nippondenso 17091,17422	Fits On 8mm Dia. Hole 6mm Neck Clearance 32.5mm OAL	
71-82119	Drain Tube-Solenoid	Nippondenso	Fits on 6mm Dia. Hole with 2.7mm Wall Thickness 31.3mm OAL	
71-82120	Drain Tube-CE Frame & Solenoid	Nippondenso 16825,17020	Fits on 12mm Dia. Hole 3.8mm Neck Clearance 31mm OAL	
71-82122	Drain Tube-CE Frame & Solenoid	Nippondenso 17020	Fits on 12mm Dia. Hole 1.8mm Neck Clearance 29.5mm OAL	
71-82125	Plug-Solenoid	Nippondenso	Plug to 9mm Switch or Relay Terminal Hole when not in use Black Color, 2.8mm Neck Clearance	
71-82126	Drain Tube-CE Frame	Nippondenso	Fits on 10mm Dia. Hole 2.5mm Neck Clearance Black Color	
71-82127	Boot-Motor Lead	Nippondenso 1.0, 1.2 kw	32mm W x 45mm OAL 16913, 17050	
71-82130	Grommet-Motor Lead	Nippondenso 1.2, 1.4 kw	Gray Color 5.8mm ID x 46.5mm OAL 2.8mm Neck Clearance Black color use 71-82159 White color use 71-82163	
71-82131	Boot-Motor Lead	Nippondenso 1.2, 1.4 kw	9mm ID x 81mm OAL Big Hole Blue Color	
71-82142	Boot-Motor Lead	Nippondenso 1.2, 1.4, 1.6 kw	For Lester 16840, 16905, 16960, 17274, 17285, 17464, 17494	
71-82146	Robber Drain	Nippondenso	6mmIDx13.8mmODx15mmT for Lester: 17706	
71-82151	Boot-	Nippondenso	10.5mm ID x 55.2mm OAL 2.2mm Neck Clearance	
71-82153	Boot	Nippondenso	Lester:17665, 18004 1.8kw-Silver Body	
71-82156	Boot-Motor Lead	Nippondenso Silver Type	Ivory color 71-82101G Gray 71-82101H Blue 71-82157 Black	
71-82157	Boot-Motor Lead	Nippondenso	Black color 71-82101G Gray 71-82101H Blue 71-82156 Ivory	
71-82158	Boot-Motor Lead	Nippondenso	Black color 71-82102B Blue 71-82102H Gray 71-82168 Ivory	

71-82159	Grommet-Motor Lead	Nippondenso 1.2, 1.4 kw	Black color (17197) 6mm ID x 46.4mm OAL 3.6mm Neck Clearance 71-82130 Gray color 71-82163 White color	
71-82160	Grommet-Motor Lead	Nippondenso	Used on starter w/Cast Aluminum CE Plate 7.8mm ID x 69mm OAL 2.8mm Neck Clearance	
71-82162	Boot-Motor Lead	Nippondenso	Black Color 5mm ID x 35.5 mm OAL Similar to 71-82110	
71-82163	Grommet-Motor Lead	Nippondenso	White color 7.5mm ID x 59.6mm OAL 71-82130 Gray color 71-82159 Black color	
71-82502	Drain Tube-CE Frame	Nippondenso	Fits 10mm Dia. Hole 2.5mm Neck Clearance 28mm OAL	
71-82503	Boot-Motor Lead -For Heavy Duty	Nippondenso 2.5, 5.5 kw	Used w/ 71-82504 13.8mm ID x 61.6mm OAL	
71-82504	Grommet-Motor Lead -For Heavy Duty	Nippondenso 2.5, 4.5 kw	Used w/ 71-82503 9mm ID x 99.5mm OAL 2.6mm Neck Clearance	
72-82105	Cover-Batt. & Switch Terminal	Nippondenso	Used with 72-82106 16849,17007, etc.	
72-82106	Insulator-Batt. & Switch Terminal	Nippondenso	Used with 72-82105 17020, 17216 Used w/ 76-82116, -1	
72-82107	Insulator	Nippondenso	Lester 16849, 17007 Used w/72-82105, 76-82118, 76-82119	
72-82110	Insulator	Nippondenso	Lester 17460, 17570 Used w/72-82111 & 76-82128	
72-82111	Insulator	Nippondenso	Lester 17460 Used w/72-82110 & 76-82128	
72-82120	Insulator	Nippondenso	Used w/76-82193 Term. Extension Lester:17579, 18004	
72-82122	Insulator	Nippondenso	use w/76-82193, 76-82194 Lester:6441, 17579	