




























## Ignition Switch Terminal for Denso OSGR Starter

Metro#	Size	kw	For Lester	Note	Photo
76-82101	<b>M4x0.7 Hole</b>	1.0 1.4	16236, 16248, 16251, 16266, 16578, 16585, 16586, 16674, 16675, 16706, 16746, 16846, 17100	<b>ND# 053480-0251</b>	
76-82102	Low Profile		Early Type Starter use		
76-82115	<b>M8x1.25 M4x0.7</b>	1.4	17084	Similar to 76-82154, but 76-82154 has M5x0.8 Terminal. Used with 72-82105 Cover	
76-82120	<b>M4x0.7 Post</b>	1.0 1.2 1.4	16849, 17007, 17020, 17084	<b>ND# 053480-7050</b> Similar to 76-82168, 76-82168 has M5x0.8 Post	
76-82124	<b>M4x0.7 Thread Hole 24.5mm OAL</b>	1.0 1.2 1.4 2.0	16236, 248, 251, 578, 585, 586; 16600, 736, 739, 746, 760, 822, 878; 17202,204,421, 457		
76-82127	<b>M4x0.7 7mm Thread Length 31mm OAL</b>				
76-82130	<b>M5x0.8 Post</b>	1.4	17083, 17091	Similar to 76-82120, but 76-82120 has M4x0.7 Post	
76-82131	<b>M5x0.8 15mm Thread Length 35mm OAL</b>	3.0	17215, 17547, 17548	Used on Dodge Truck	
76-82140		1.0 1.2 1.4 1.6	16736, 746, 800, 801, 839, 840, 906, 913, 960, 975; 17050, 264, 265, 273, 274, 285, 297, 298, 494	Used on Acura, Honda	
76-82154	<b>M8x1.25 M5x0.8</b>	1.4	17466, 17549	<b>ND# 053480-7410</b> Used on Chrysler	
76-82157	<b>26.3mm OAL 9.2mm OD</b>	1.2 1.4	17197, 17465, 17562, 17570, 17571, 17632, 17735	For universal design use 76-82161	

76-82159	<b>M5x0.8 15mm Thread Length 35.5mm OAL</b>	1.2 1.4			
76-82160		1.0 1.2 1.4 1.6 1.8 2.0	17485, 17554	Can be used to replace 76-82162	
76-82161		1.2 1.4	17197, 256, 259, 263, 400, 423, 424, 460, 465, 481	Can be used to replace 76-82157	
76-82162		1.2 1.4 1.8	17485, 17493, 17495, 17519, 17520, 17521, 17523, 17529, 17530, 17531, 17532, 17533, 17534, 17535, 17536, 17537, 17581, 17666, 17672, 17681, 17682, 17687, 17706, 17707, 17715, 17716, 17774, 17777	For universal design use 76-82160	
76-82163	<b>M4x0.7 Post 29.5mm OAL</b>	1.4	6441, 17020, 17216, 17466, 17549, 17579		
76-82164	<b>M5x0.7 Post 16mm Thread Length 39.73mm OAL</b>	1.4	17523, 17573, 17574, 17714		
76-82168	<b>M5x0.8 Post 11mm Thread Length 31.5mm OAL</b>	1.4	17083, 17091	Similar to 76-82120, but 76-82120 has M4x0.7 Post	
76-82168-1	<b>M5x0.8 Post</b>	1.4	17083, 17091	Similar to 76-82120, but 76-82120 has M4x0.7 Post	
76-82169		1.4	17242	Used on Subaru	
76-82188		1.4	16657, 17375, 17382	Used on Yanmar, Thermo King	
76-82196		1.2 1.4	17785, 17788, 17791, 17800, 17823	Used on Chrysler	
76-82502	<b>M4x0.7 Thread Hole</b>	2.5 3.0 4.5 5.5	16658, 17362, 17391	Similar to 76-82511, but 76-82511 has M5x0.8 Thread. Screw use 84-82108	

76-82508		1.0 1.2 1.4 1.6 2.0	16236, 248, 578, 585, 586, 612, 674, 676, 696, 730, 737, 758, 759, 760, 761, 763, 786, 790, 802, 821, 823, 825, 826, 827, 828, 829, 833, 834, 835, 837, 878, 891, 892, 893, 895, 978, 979; 17002, 003, 117, 125, 143, 155, 169, 170, 171, 189, 251, 254, 255, 256, 420, 422, 483, 487, 525, 546, 619	High Profile  Most popular used	
76-82511	<b>M5x0.8</b>	2.5 3.0 4.5	16614, 16656, 16824, 16830, 16881, 16990	Similar to 76-82502, but 76-82502 is M4x0.7 Thread. Screw use 84-82128	
76-82514		3.0 4.5	16658, 16990, 17362, 17391, 17494, 17611, 17614, 17630, 18007, 18402, 18405, 18408, 18342, 18343, 18412, 18456, 18510, 18535, 18978, 19515	<b>ND# 053480-7560</b> For most Nippondenso Heavy Duty use. 128000-5623 & others	
76-82515		2.5	17892, 18401, 18500	<b>ND#053480-7901</b> For 228000-565, 228000- 818, 228000-878, 428000- 1190, 428000-283	

- **Please check with us the current price and stock availability !!**
- **All other company name and part number is for reference use only.**