






















Screw & Thru Bolt	Stud	Hold Down Bolt
		

Thru Bolt (mm or inch)

Metro#	Size	Pitch	Screw Length	OAL Length	Note	Photo
84-14014	1/4"	20	3/4" Ext.	6-3/4" (168.0)	Hex washer head w/ ext.	
84-14015	1/4"	20	5-7/8"	154.0	Hex washer head Black color	
84-14018	1/4"	20	7/8"	27.0	Hex washer head w/ flat washer. Black color	
84-13043	10	24	1/2" Ext.	151.5	Hex washer head w/ ext.	
84-13007	10	24	2-1/8"	57.7	Hex washer head w/ dog Point	
85-13038	3/16" M5	24 0.8	7/16" Ext. 102	117.0	Hex washer head w/ ext.	
84-82124	M10	1.5	101.0	107.0	Hex head Race Car Square Block	
84-82152	M4	0.7	21.9		Screw	
84-82019	M4	0.7	25.0	29.4	Phillips Hex washer head	
84-82117	M4	0.7	10		Denso CE Plate to Brush Holder wo/Dog Point	
84-82117-D	M4	0.7	10		Denso CE Plate to Brush Holder w/Dog Point	
85-13039	M5	0.8	102.0	106.9	Hex washer head	
84-82030	M5	0.8	105.0	108.2	Hex head w/ lock washer & flat washer	
84-82133	M5	0.8	116.0	120.0	Hex washer head w/ dog point	
84-82125	M5	0.8	127.0	132.0	Hex washer head w/ dog point	
84-82125C	M5	0.8	127.0	132.0	Hex washer head w/ dog point. Chrome	
84-82140	M5	0.8	142.0	146.3	Hex washer head	
84-82004	M5 M7	0.8 1.0	18.0 40.0	66.2	Stator Hold Down Bolt	
84-82039	M5 M6	0.8 1.0	14.4 20.0	65.2	Hold Down Bolt	No Photo Available

84-82016	M5 M6	0.8 1.0	24.0 38.7	65.2	Hold Down Bolt	
84-82016C	M5 M6	0.8 1.0	24.0 38.7	65.2	Hold Down Bolt Chrome	
84-82144	M4	0.8	25.0		Screw w/Dog Point	
84-82017	M5	0.8	31.0	33.3	Phillips pan head w/ flat washer	
84-82040	M5	0.8	13.0	35.6	Thru Bolt	
85-13008	M5	0.8	35.0	38.6	Hex head Black color	
84-82138	M5	0.8	35.0	39.7	Phillips hex head w/ dog point	
84-82138-1	M5	0.8	35.0	39.7	Phillips hex head w/ dog point Silver Color	
84-82138C	M5	0.8	35.0	39.7	Phillips hex head w/ dog point. Chrome	
84-82132	M5	0.8	36.0	39.2	Phillips Hex Head attached lock washer	
84-82045	M5	0.8		43.8	22mm Thread	
84-82018	M5	0.8	40.0	44.0	Hex head w/ lock washer & flat washer, Cone Point	
84-82047	M5	0.8	36.2	45.7	Thru Bolt	
84-82041	M5	0.8	56.0	66.2	Thru Bolt	
84-81001	M5	0.8	40.0	75.6	Phillips Hex head w/ lock washer	
84-82025	M5	0.8	41.0	43.3	Battery Terminal (Mitsubishi)	
84-82020	M5	0.8	60.0	64.0	Phillips hex head w/ flat washer, dog point	

84-82027	M5	0.8	63.0	66.8	Phillips pan head w/ lock washer, dog point	
85-13002	M5	0.8	66.5	73.4	External Torx head E8 Drive	
84-82151	M6	1.0	76.4		Thru Bolt	
84-82155	M6	1.0	76.5		Thru Bolt	
84-82150	M6	1.0	88.0		Thru Bolt	
84-82104	M6	1.0	137.0	143.0	Hex Serrated washer head	
84-82101	M6	1.0	140.0	143.6	Hex Head w/ lock washer & flat washer	
84-82107	M6	1.0	151.0	155.0	Hex head w/ lock washer	
84-	M6	1.0	166.0		Thru Bolt	
85-13028	M6	1.0	180.0	185.1	Hex washer head	
84-82503	M6	1.0	182.0	190.0	Hex washer head w/ lock washer, flat washer, & O-ring	
84-82137	M6	1.0	215.0	221.3	Hex washer head	
84-82120	M6	1.0	31.0	34.8	Phillips pan head w/ lock washer	
84-82139	M6	1.0	32.0	35.7	Phillips hex head w/ lock washer	
84-82102	M6	1.0	39.0	43.6	Phillips Slotted pan head w/ lock washer	
84-82106	M6	1.0	40.0	44.3	Hex serrated washer head w/ lock washer	
84-82136	M6	1.0	40.0	44.0	Phillips hex head w/ lock washer	
84-82146	M6	1.0	42.5		Phillips Slotted pan head w/Dog Point	
84-82103	M6	1.0	48.0	53.1	Phillips Slotted pan head w/ lock washer	
84-82502	M6	1.0	49.0	53.1	Phillips slotted pan head w/ Lock washer, flat washer, & O-ring	

84-82105	M6	1.0	49.0	54.0	Hex serrated washer head w/ lock washer	
84-82126	M6 M6	1.25 1.0	6.0 139.0	149.0	Attached lock washer, flat washer	
84-82135-1	M6	1.0	60.0	64.0	Phillips hex head w/ lock washer	
84-82159	M6	1.0	116.0	122.00	32mm Thread L Delco PG260 use	
84-82524	M7	1.0	50.0		Thru Bolt Denso OSGR DE to Solenoid Used on 53-82301-1 M7x1.0 hole	No Photo Available
84-82522	M7	1.0	143.5		Thru Bolt-short Denso OSGR For 3.0kw, 4.0kw, 4.8kw, 5.0kw, 7.5kw	
84-82521	M7	1.0	205.0		Thru Bolt-long Denso OSGR For 3.0kw, 4.0kw, 4.8kw, 5.0kw, 7.5kw	
84-82038	M8	1.25	14	19.0	Thru Bolt	
84-82037	M8	1.25	32	56.2	Thru Bolt	

- All the OE and other supplier part number is for reference use only.
- Please check with us the current price and stock availability.